

Date:

Friday, 04/04/2008 9:46:48 AM

Ù≩er:

Julie Lecocq

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

S.O. No. :

Job Number **Estimate Number** : 38365

P.O. Number

: 11076

This Issue

Previous Run

: 04/04/2008

Prsht Rev. : NC

First Issue

: 04/04/2008

: 36459

Type : MACHINED PARTS

Written By

Comment.

Checked & Approved By

: Est Rev:E Est Rev:E

Re-Format Re-Format

05-11-29 JLM

Drawing Name

: OUTER FWD SADDLE

Part Number

: D5951

Drawing Number

: D5951 REV.B : N/A

Project Number Drawing Revision

: B Material

: 23/04/2008 **Due Date**

Each

Additional Product

Job Number:

Seq. #:

Machine Or Operation:

Description:

1.0

2.0

D6101013

Saddle billet

Comment: Qty.:

1.0000 Each(s)/Unit Total:

16.0000 Each(s)

D6101-013 (7075-T7351)

Size 2.50" x 10.10" X 8.25" (Grain along 10.10")

Batch: 1331390

HAAS3



Comment: HAAS CNC VERTICAL MACHINING #3

1-Machine as per folio D5951, Ensure Batch Number is entered

2-Machine Keyway

3-Deburr & Tumble

3.0 QC1



Comment: INSPECT ALL DIM TO DIM SHEET

4.0

QC8

SECOND CHECK



Comment: SECOND CHECK

5.0 HAND FINISHING1 HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGE	S			-	
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	•	PAR #: Fault Category:	NCR: Yes	No DQ	A:	_ Date: _	

QA: N/C Closed: ____ Date: __

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification	Anneced	A
DATE	STEP	Section A			Sign & Section		Approval Chief Eng	Approval QC Inspector
					:			
				<u>:</u>				
						,		
ı								1

NOTE: Date & initial all entries

Date:

Friday, 04/04/2008 9:46:49 AM

User:

Julie Lecocq

Process Sheet

'Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: OUTER FWD SADDLE

'Job Number: 38365

Part Number: D5951

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

POWDER COATING

POWDER COATING

m107550



00...

Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

ATICHEMICAL CONVERSION

7.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



(20)

Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

PACKAGING RESOURCE #1



8.0

9.0

PACKAGING 1

PACKAGING RESOURCE



Comment: PACKAGING RESOURCE #1

Identify and Stock Location:

cation:

FINAL INSPECTION/W/O RELEASE



08/04/180

QC21

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



MF 08-04-18

Dart Aerospace Ltd

W/O:	, ·	WORK ORDER CH	WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector					
Part No	:	PAR #: Fault Category:	NCR: Ye	es No. DO	Δ.	Date:						

QA: N/C Closed: ____ Date: ____

NCR: WORK ORDER NON-CONFORMANCE (NCR)										
-		Description of NC		Correct	ive Action Section	3	Varification	Approval Chief Eng	Ι	
DATE	STEP	Section A	Initial Chief Eng	Ac	tion Description Chief Eng	Sign & Date	Verification Section C		Approval QC Inspector	
					•					
								-		
•		;		. ,		·				
					·					

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	38365
Description: Outer Fwd Saddle		Part Number:	D5951
Inspection Dwg: D5951	Rev: B		Page 1 of 1

				Red	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1,	2	3	4	Ву	Date
Α	2.0.437	0.444		0.442	0442	0.442	0.447		
В	1.745	1.755		1.749	1.749	1.750	1.749		
С	5.245	5.255		5.250	5 250	5.260	5,249		
D	6.995	7.005		6.448	6.999	6.999	7.000		
E	5.745	5.755		5.250	5.200	5,250	5,250		
F	4.745	4.755		4.750	4,750	4.750	4.750		
G	0.315	0.322		6:321	0.324	0.321			
Н	1.522	1.532	•	1.525	1.527	1.526	1.526		
ı	3.048	3.058		@3.05i	3.053	3,052	3,652		
J	4.575	4.585		4.580	4.580	4.580	4.580		
K	0.312	0.319		0.319	0.319	1319	0.319		
L	0.495	0.505		0.500	0,500	0.500	0,319		
M	0.490	0.510		0,507	0,500.	0.500	10,500 l		
N	1.615	1.635		1.626	1.7.25	1.625	11:625		
0	7.990	8.010		8,000	8.000	8,000	8.00		
Р	2.240	2.260	*	2.250	8.000 2.249	2.244	8.00 2.750		
Q	0.307	0.312		0.312	0310	13/0	1.310		
R	0.760	0.765		0.762	0.762	,762	.762		
S	0.490	0.510		0.4975	0.498	0.498	0.498 1.3865		·
T	1.375	1.395		1.3845	1.3855	1.386.	1,386,5		<u> </u>
Ū	2.000	2.020		2.0045	2.006	2.004	2,0045		
V								,	
W									
X									<u></u>
Υ									
Z									
AA									
AB									· ·
AC '			,	` _					
AD									
AE									
AF									
AG									
AH									
	Acc	ept/Reje	ct		L				

Measured by: DSP	Audited by J
Date: a \$/04/12	Date: 08/04//5

Rev	Date	Change	Revised by	Approved
Α	99.04.19	New Issue	RF	
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
С	06.12.06	Dimensions A,G,K,L,N,P revised	KJ/EC 1,A	21
D	07.06.15	Dimension G revised	KJ/JLM 🛠	\J.M

DART AEROSPACE LTD	Work Order:	<u>38365</u>	
Description: Outer Fwd Saddle	Part Number:	D5951	
Inspection Dwg: D5951 Rev: B		Page 1 of 1	

		Recorded Actual Dimensions							
Dim	Min	Мах	Go/No Go Gauge	5	6	7	8	Ву	Date
Α	0.437	0.444		.442	0.442	0,442	0,442		
В	1.745	1.755		1,750	1.750	1,750	1.750		
С	5.245	5.255		5.249	5.250	1,750	5.249		
D	6.995	7.005		7,000		7,000	7,000		
E	5.745	5.75 5		5.250	5,250	5.250	7.000 5.250		
F	4.745	4.755		4.749	4.750	4.750	4.750		
G	0.315	0.322		0,321	.321	321	<u> 0.321 </u>		
Н	1.522	1.532		1.526	1.526	1.526	1.527		
T	3.048	3.058		3.053	3.653	3.052	3.052		
J	4.575	4.585		3,053	4-580	4.580	4.579		
K	0.312	0.319		0.319	0319	0.319	0.3(9)		
L	0.495	0.505		0,500	0.500 0.499	0.500	0.500		
M	0.490	0.510		0,500	0.499	0.499	O.499		
N	1.615	1.635		0,500	1.628	1.628	1.629		
0	7.990	8.010		8.000	8,000	8,000	8.000		
P	2.240	2.260		2.250	2.250	2.749	2.249		
Q	0.307	0.312		2310	310	,310	310		
R	0.760	0.765		· 762,	.762 .497	762	0.497		
S	0.490	0.510		0.494	. 497	497	0.497		
Ť	1.375	1.395	-	1.3855	1.386	1,3853	1.388		
Ū	2.000	2.020		2.003	2,005	A 2003			
V									
W									
X									
Υ						-			
Z									
AA									
AB						,			
AC		_							
AD									
AE									
AF			£						
AG				1					
AH				1					
	Acc	ept/Reje	ct	1					

Measured by: DTY	Audited by	J.L. ,
Date: 08/4/13	Date:	08/04/15

Rev	Date	Change	Revised by	Approved
Α	99.04.19	New Issue	RF	
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
С	06.12.06	Dimensions A,G,K,L,N,P revised	KJ/EC ιΔ	21
D	07.06.15	Dimension G revised	KJ/JLM 🛠	\(\sqrt{\pi} \)

DART AEROSPACE LTD	Work Order:	38365
Description: Outer Fwd Saddle	Part Number:	D5951
Inspection Dwg: D5951 Rev: B		Page 1 of 1

				Recorded Actual Dimensions					-
Dim	Min	Max	Go/No Go Gauge	9	10	13	12 .	Ву	Date
Α	0.437	0.444		.443	.443	.443	443		
В	1.745	1.755		1.750	1.750	1.750	1.750		
С	5.245	5.255		5.250	2.960	5.250	5.250		
D	6.995	7.005		7.000	7.000	7.000	7.660		
E	- 5:745	5 .755 -		7.000 5.250	5250	5.250	5.250		
F	4.745	4.755	-	4.750	0.321	4,749	4.750		
G	0.315	0.322	·	0.321	0.321	0.321	0,321		
Н	1.522	1.532	-	1,527	1.526	1,5265	1,527		
Į	3.048	3.058		3.053	3.052	3.053	3.053		
J	4.575	4.585		4,580	4.580	4,580	4.580		
K	0.312	0.319		0.319	0.319	0.319	0.319		
L	0.495	0.505		0.500	0,500	0.499	0.500		
М	0.490	0.510		0.501	0.501	0.501	1.627		
N	1.615	1.635		1.626	116275	1.627	1.627		
0	7.990	8.010		8,000	8,000	2.249	8,000		
Р	2.240	2.260		2.250	2,249	2.249	2,250		
Q	0.307	0.312		312	.312	312	312		<u> </u>
R	0.760	0.765		.762	.762	.762	.762		
S	0.490	0.510		.505	.501	.500	.200		
T_	1.375	1.395		1.388	1.388	1:387	1.387		4
U	2.000	2.020		2.008	2.0075	2,007	2.007		
V									
W						<u> </u>			
Х									
Y									
Z					1				
AA				1					
AB									
AC				<u> </u>					
AD			_						
AE									
AF .						_			
AG									
AH				1					
	Acc	ept/Reje	ct			<u> </u>			

Measured by: TP A A W	Audited by 5L,
Date:	Date: 08/04//5

Rev	Date	Change	Revised by	Approved
Α	99.04.19	New Issue	RF	
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
С	06.12.06	Dimensions A,G,K,L,N,P revised	KJ/EC 1,A	
D	07.06.15	Dimension G revised	KJ/JLM 🛠	411

DART AEROSPACE LTD		Work Order:	38365
Description: Outer Fwd Saddle	e	Part Number:	D5951
Inspection Dwg: D5951	Rev: B		Page 1 of 1

	-			Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	134	14 8	15 3	16	Ву	Date
Α	0.437	0.444		.443	,443	.443	.443		
В	1.745	1.755		1.750	1.750	1.750	1.750		
С	5.245	5.255		5.250	5,250	5.250 7.000 5.250	5-250		
D	6.995	7.005		7:000	7.000	7.000	7.000		
Е	5.745	5.755		5250	5.250	5.250	5.250		
F	4.745	4.755	_	4.750	4.750	4.750	4.750		
G	0.315	0.322		.319	.319	.319	.319		
Н	1.522	1.532		1.506	1.526	1.526	1.526		
T I	3.048	3.058		3.052	3.050	3.050	3.050		
J	4.575	4.585		4579	4.579	4.579	4.579		
K	0.312	0.319		.319	.319	319	.319		
L	0.495	0.505		,501	.50/	.501	.501		
М	0.490	0.510		1500	.502	502	.502		
N	1.615	1.635		1.627	1.627	1.627	1.627		
0	7.990	8.010		8.00L	9.003	£66.8	8.003		
Р	2.240	2.260		2.250	2-250	2.250	2.250		
Q	0.307	0.312		.312	312	.3/2	312		
R	0.760	0.765		1762	762	.762	.762		
S	0.490	0.510		.500	500	1500	1386		18
Т	1.375	1.395		1.385	1.388	1. 3YY	1.381		
Ų	2.000	2.020		2.002	2.005	2,005	2.005		
V									
W									
Х									_
Υ									
Z									
AA				ļ			_	1	
AB				ļ				$\downarrow \downarrow \downarrow$	
AC						ļ		<u> </u>	
AD								 	
AE								 	<u> </u>
AF								 	
AG			_					$\downarrow \downarrow \downarrow$	
AH								1	
	Acc	ept/Reje	ct	<u> </u>		1			

Measured by: \\ \& \cdot \rangle	Audited by J.L.,
Date: 08/04/15	Date: <u>08/04//5</u>

Rev	Date	Change	Revised by	Approved
Α	99.04.19	New Issue	RF	
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
С	06.12.06	Dimensions A,G,K,L,N,P revised	KJ/EC 1,A	21
D	07.06.15	Dimension G revised	KJ/JLM 🛠	

DART AEROSPACE LTD Work Order:


Description: Outer Fwd Saddle Part Number: D5951

Inspection Dwg: D5951 Rev: B Page 1 of 1

Recorded Actual Dimensions									
Dim	Min	Max	Go/No Go Gauge	17 %	182	198	20%	Ву	Date
Α	0.437	0.444		443	.443	.443	443		
В	1.745	1.755		1.750	1.750	1.750	1.750		
С	5.245	5.255		5.250	5.250	5,210	5.250		
D	6.995	7.005		7000	7.000	7,000	7.000		
Ε	5.745	5.75 5		5.250	5.250	5-250	5.250		
F	4.745	4.755		4.750	4.750	4.756	4.750		
G	0.315	0.322		,319	.319	-319	.319		
Н	1.522	1.532		1.526	1.526	1.525	1525		
	3.048	3.058		3.050	3.050	3.000	3.000		
J	4.575	4.585		4.581	4.581	4.531	4.581		
K	0.312	0.319		. 3/9	. 319	,319	.319		
L	0.495	0.505		.50/	500	50	,500		
M	0.490	0.510		.502	,502	502	.502		
N	1.615	1.635		1.626	1.627	1,621	1.626		
0	7.990	8.010		8.00	9.00	2003	8,003		
Р	2.240	2.260		2.250	2.250	2250	2.250		
Q	0.307	0.312		.312	.312	3/2	.312		
R	0.760	0.765		.762	.762	-762	.762		
S	0.490	0.510		1505	102	.505	202		
Т	1.375	1.395		1.388	1.388	1.388	1.388		
U	2.000	2.020		2.002	2.002	2.005	2.007		
V									
W									
Х									
Υ									
Ζ									
AA								1	
AB						1			
AC			· · · · · ·						
AD				1		1	ļ		
AE									
AF									
AG							17		
AH									
	Acc	ept/Reje	ct				<u></u>		

Measured by:	Audited by J.L 08/04//5
Date: 08/04/15	Date:
	<u> </u>

Date	Change	Revised by	Approved
99.04.19	New Issue	RF	
02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
06.12.06	Dimensions A,G,K,L,N,P revised	KJ/EC 1,A	21
07.06.15	Dimension G revised	KJ/JLM O	911
_ _	99.04.19 02.12.13 06.12.06		99.04.19 New Issue RF 02.12.13 Reformat; Added Dim. T-U & DT8682, DT8686 KJ/RF 06.12.06 Dimensions A,G,K,L,N,P revised KJ/EC



COPYRIGHT © 1997 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.